

# CRC ECO COLD CLEANER

## **1. GENERAL DESCRIPTION**

Quick dry non-chlorinated cleaner.

A fast drying, powerful degreasing solvent. Eco Cold Cleaner penetrates quickly and cuts through dirt, grime and contaminants for improved operation of mechanical equipment. Enhances overall performance. Designed for applications where flammable solvents can be used.

## 2. FEATURES

- Quickly dissolves grease, oil, lubricants, tar and adhesives.
- Effective wash-away of contaminants.
- Fast evaporation to minimize downtime.
- Ensures rapid turnaround.
- Leaves no residue.
- Stable, non-staining and non-corrosive.
- Safe on most plastics, coatings and rubbers (test prior to use).
- Aerosol is equipped with the 360°C (upside-down) s pray valve and extension tube for added convenience.
- Aerosol is pressurized with non-flammable CO<sub>2</sub> propellant, giving an active product content of over 95%.
- Biodegradability (OECD 301B) : 62%

#### **3. APPLICATIONS**

- Gear boxes
- Chains & cables
- Dies & molds
- Compressors
- Pumps

- Motors Engines
- Pneumatic tools
- Fork lifts
- Material handling equipment
- Parts & tools

Brakes and clutches

## 4. DIRECTIONS

- Spray liberally and allow excess to run off. Air dry or dry with absorbent cloth. Repeat if necessary.
- Use extension tube for hard-to-reach areas.
- After application, re-lubricate moving parts with CRC 3-36.
- · Check plastics compatibility before use. Do not use on sensitive electronic equipment such as tape decks, VCR's, computers, etc. ....
- Use with adequate ventilation. Do not use on energized equipment. Allow to dry thoroughly and vent before reactivating system.

#### A safety data sheet (MSDS) according to EC Regulation N°1907/2006 Art.31 and amendments is available for all CRC products.







TECHNICAL DATA SHEET 2/2

# CRC ECO COLD CLEANER

#### 5. TYPICAL PRODUCT DATA (without propellant)

Appearance: colourless liquid, typical odourSpecific gravity (@ 20°C): 0,802Flash point (closed cup): 12 °CPlastics compatibility: to be checked (\*)Non-volatiles: noneBiodegradability (OECD 301B): 62 %

#### 6. PACKAGING

Ref. 31908	aerosol :	12 x 500 ml
Ref. 31914	bulk :	2 x 5 l

\* Sensitive plastics (e.g. polystyrenes and polycarbonates, ...) need to be checked, particularly when thermal or mechanical stress is involved.

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment and conditions and the unpredictable human factors involved, we recommend that our products be tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied.

This Technical Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: <u>www.crcind.com</u>. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.

Version : 03 0712 03 Date : 17 July 2012



